INDEX TO VOLUME 98

New scientific names are in bold face.

Angelo, Ray and David E. Boufford. Atlas of the flora of New England: pteridophytes and gymnosperms. 1–79

ANNOUNCEMENTS:

NEBC Graduate Student Research Award 110

1996 Jesse M. Greenman Award 111

Ronald L. Stuckey Endowment fund 112

Arctostaphylos uva-ursi 117–145

Asteraceae 85–93

Atlas of the flora of New England: pteridophytes and gymnosperms. 1–79

Bennett, James P. and Jennifer E. J. Course. The vascular flora of Hopewell Culture National Historical Park, Ross County, Ohio. 146–167

Bolboschoenus 168–179

BOOK REVIEWS:

An Almanac of Botanical Trivia. 217

Flora of Berkshire County, Massachusetts. 459

Michigan Flora, Part III, Dicots (Pyrolaceae—Compositae). 460–462

Native Trees, Shrubs and Woody Vines of Cape Cod and the Islands. 105–106

A Revision of *Heterotheca* sect. *Phyllotheca* (Nutt.) Harms (Compositae: Astereae): The Prairie and Montane Goldenasters of North America. 218–219.

The Vascular and Non-Vascular Flora of Nantucket, Tuckernuck, and Muskeget Islands. 103–104

Boufford, David E. 1–79

Brazil, *Eremanthus* species in 86–93

Brumback, William E. and Leslie J. Mehrhoff, in collaboration with Richard W. Enser, Susan C. Gawler, Robert G. Popp, Paul Somers, and Daniel D. Sperduto, with assistance from William D. Countryman and C. Barre Hellquist. *Flora Conservanda:* New England. The New England Plant Conservation Program (NEPCoP) list of plants in need of conservation. 233–361

Bryophyta 188

Bylaws of the New England Botanical Club, Inc. 226–231

Cape Cod, coastal heathlands and sandplain grasslands on 117–145

Chlorophycophyta 186–187, 369–418

Classification of coastal heathlands and sandplain grasslands in Massachusetts. A, 117–145

Coastal heathlands 117–145

Coastal islands, seaweeds of 369–418

Colombia, *Uncinia* species in 80–84

Comments on the occasion of the centenary of the New England Botanical Club. 445–458

Community classification 117–145

Comparison of insular seaweed floras from Penobscot Bay, Maine, and other northwest Atlantic islands. A, 369–418

Compositae 85–93

Coniferophyta 25–28, 66–72, 151, 189, 273

Connecticut 29–72, 180–216, 251–329

Conservation, New England plants in need of 233–361

Countryman, William D. 233–361

Course, Jennifer E. J. 146–167

Cyanophycophyta 187

Cyperaceae 80–84, 99–102, 168–179

Deschampsia flexuosa 117–145
Dot distribution maps 1–79
Dunwiddie, Peter W. and Robert T. Leverett. Survey of old-growth forest in Massachusetts. 419–444
Dunwiddie, Peter W. and Bruce A. Sorrie. A flora of the vascular and non-vascular plants of Nantucket, Tuckernuck, and Muskeget Islands. 94–98 (New England Note)
Dunwiddie, Peter W., Robert E. Zaremba, and Karen A. Harper. A classification of coastal heathlands and sandplain grasslands in Massachusetts. 117–145

Endangered species 233–361
Enser, Richard W. 233–361
Equisetophyta 11–12, 40–42, 188, 285
Eremanthus 85–93; *bicolor* 86–88; ***harleyi***, sp. nov., 90–91; *reflexoauriculatus* 93; ***santosii***, sp. nov., 88–90; key to the *Paralychnophora* group of *Eremanthus* 86

First report of *Uncinia macrolepis* and *U. tenuis* (Cyperaceae) in Colombia and new Colombian sites for *U. paludosa*. 80–84
Flora 1–79, 94–98, 146–167, 180–216, 369–418
Flora Conservanda: New England. The New England Plant Conservation Program (NEPCoP) list of plants in need of conservation. 233–361
Flora of Latimer Point and vicinity, New London County, Connecticut. The, 180–216
Flora of the vascular and non-vascular plants of Nantucket, Tuckernuck, and Muskeget Islands. A, 94–98 (New England Note)

Gawler, Susan C. 233–361
Gaylussacia baccata 117–145
Gerwick, James 369–418
Gulf of Maine, seaweed flora of 369–418
Gymnosperms 1–79, 151, 189, 273

Hambrook, Julie 369–418
Harper, Karen A. 117–145
Hehre, Edward J. 369–418
Hellquist, C. Barre 233–361
Hemlock (*Tsuga canadensis*) 419–444
Heuchera micrantha var. ***macropetala*** (Saxifragaceae), a new variety. 365–368
Hill, Steven R. The flora of Latimer Point and vicinity, New London County, Connecticut. 180–216
Hopewell Culture National Historical Park 146–167
Howard, Richard A. Comments on the occasion of the centenary of the New England Botanical Club. 445–458

Isolepis 168–179

Leverett, Robert T. 419–444
Liliopsida 151–163, 189–195, 251–329 (families in alphabetical order)
Lycopodiophyta 6–11, 30–39, 291–292, 298–299, 326

Magnoliophyta 151–163, 189–212, 251–329 (families in alphabetical order)
Magnoliopsida 151–163, 195–212, 251–329 (families in alphabetical order)
Maine 29–72, 251–329, 369–418
Marine algae 186–187, 369–418
Martha's Vineyard, coastal heathlands and sandplain grasslands on 117–145
Massachusetts 29–72, 94–98, 117–145, 251–329, 369–418, 419–444
Mathieson, Arthur C., Edward J. Hehre, Julie Hambrook, and James

Gerwick. A comparison of insular seaweed floras from Penobscot Bay, Maine, and other northwest Atlantic islands. 369–418
Mehrhoff, Leslie J. 233–361
Missouri, *Scirpus* sensu lato in 168–179
Muskeget Island, flora of 94–98

Nantucket Island, flora of 94–98, 117–145
National park flora 146–167
NEBC Meeting News 107–109, 220–222, 463–467
NEPCoP (New England Plant Conservation Program) 233–361
New Brunswick, Canada, seaweeds of 369–418
New England flora 1–79, 233–361
New Hampshire 29–72, 99–102, 251–329, 369–418
New Hampshire. *Scleria reticularis* (Cyperaceae) new to, 99–102
Northern hardwood forests 419–444
Notes on the genus *Scirpus* sensu lato in Missouri. 168–179

Ohio, vascular flora of Hopewell Culture National Historical Park 146–167
Old-growth forest in Massachusetts. Survey of, 419–444

Paralychnophora group of *Eremanthus* (Vernonieae: Asteraceae). The, 85–93
Penobscot Bay, seaweed flora of 369–418
Phaeophycophyta 187, 369–418
Pinophyta 25–28, 66–72, 151, 189, 273
Polypodiophyta 12–25, 42–66, 151, 188–189, 251–329 (families in alphabetical order)
Popp, Robert G. 233–361
Pteridophytes 1–79, 151, 188–189, 251–329 (families in alphabetical order)

Quercus ilicifolia 117–145

Reviewers of manuscripts, 1996. 468
Rhode Island 29–72, 251–329
Rhodophycophyta 187–188, 369–418
Robinson, Harold. The *Paralychnophora* group of *Eremanthus* (Vernonieae: Asteraceae). 85–93

Sandplain grasslands 117–145
Schizachyrium scoparium 117–145
Schoenoplectus 168–179; key to the Missouri members of sections *Actaeogeton* and *Supini* 177
Scirpus 168–179; key to the genera segregated from *Scirpus* sensu lato in Missouri 170–171
Scleria reticularis (Cyperaceae) new to New Hampshire. 99–102 (New England Note)
Shipes, B. G. and E. F. Wells. *Heuchera micrantha* var. *macropetala* (Saxifragaceae), a new variety. 365–368
Smith, S. Galen and George Yatskievych. Notes on the genus *Scirpus* sensu lato in Missouri. 168–179
Somers, Paul. 233–361
Sorrie, Bruce A. 94–98
Sperduto, Daniel D. 233–361
Sperduto, Daniel D. *Scleria reticularis* (Cyperaceae) new to New Hampshire. 99–102 (New England Note)
Survey of old-growth forest in Massachusetts. 419–444

Trichophorum 168–179
Tuckernuck Island, flora of 94–98
Two-way indicator species analysis (TWINSPAN) 117–145

Uncinia 80–84; *macrolepis* 80–81; *paludosa* 81–82; *tenuis* 82–83; key to the *Uncinia* species of Colombia 83

Vascular flora of Hopewell Culture National Historical Park, Ross County, Ohio. The, 146–167
Vermont 29–72, 251–329
Vernonieae 85–93

Wells, E. F. 365–368
Wheeler, Gerald A. First report of *Uncinia macrolepis* and *U. tenuis* (Cyperaceae) in Colombia and new Colombian sites for *U. paludosa*. 80–84

Yatskievych, George 168–179

Zaremba, Robert E. 117–145